

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation - CPR) this certificate applies to the construction product

Locks and building hardware suitable for use on fire and/or smoke control doors

according to the product specification listed in the current addendum to this certificate placed on the market

Company

DORMAKABA AUSTRIA GMBH

Ulrich-Bremi-Straße 2

AT-3130 Herzogenburg

and produced in the manufacturing plant

AT-3130 Herzogenburg, Wiener Straße 41-43

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 12209:2003 + AC:2005

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the constancy of performance of the construction product.

CERTIFICATE OF CONSTANCY OF PERFORMANCE

Certificate number: 1359-CPR-0007

Date of first issue: 15.12.2006 (acc. to CPD)


Date of issuance: 19.08.2017

This certificate will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

For the validity of this certificate see www.holzforchung.at.



Dipl.-HTL-Ing. Peter Schober
Authorised signatory



Dr. Manfred Brandstätter
Head of the Certification Body

Addendum to certificate 1359-CPR-0007

Date of issuance: 18.09.2017

Scope of certification:

Locks and building hardware suitable for use on fire and/or smoke control doors

Mortise locks:

Self closing ability (5.4.2, 5.1.2)
Durability of self closing action (5.3.1)
Ability to maintain door in closed position, and not contribute to the spread of fire (5.2.1, 5.5)

Type 121.WZ

Passed, class 5 (14,7 N), 7,9 N
Passed, class M (200.000 cycles)
Passed, class 3, fire resistance 30 minutes

Mortise locks:

Self closing ability (5.4.2, 5.1.2)
Durability of self closing action (5.3.1)
Ability to maintain door in closed position, and not contribute to the spread of fire (5.2.1, 5.5)

Type 127.WZ, Type 127.WZ.MF2, Type 127.WZ.MF2.EH

Passed, class 5 (17 N), 7,5 N
Passed, class M (200.000 cycles)
Passed, class 3, fire resistance 30 minutes

Mortise locks:

Self closing ability (5.4.2, 5.1.2)
Durability of self closing action (5.3.1)
Ability to maintain door in closed position, and not contribute to the spread of fire (5.2.1, 5.5)

Type 127.WZ.FB, Type 127.FA.WZ.FB

Passed, class 5 (11,7 N), 12,5 N
Passed, class M (200.000 cycles)
Passed, class 3, fire resistance 30 minutes

Mortise locks:

Self closing ability (5.4.2, 5.1.2)
Durability of self closing action (5.3.1)
Ability to maintain door in closed position, and not contribute to the spread of fire (5.2.1, 5.5)

Type 127.WZ.KF

Passed, class 5 (9,8 N), 6 N
Passed, class M (200.000 cycles)
Passed, class 3, fire resistance 30 minutes

Mortise locks:

Self closing ability (5.4.2, 5.1.2)
Durability of self closing action (5.3.1)
Ability to maintain door in closed position, and not contribute to the spread of fire (5.2.1, 5.5)

Type 170.WZ

Passed, class 5 (9 N), 5 N
Passed, class M (200.000 cycles)
Passed, class 3, fire resistance 30 minutes with latch with falling bevel 6°, 120 minutes with latch without falling bevel

Mortise locks:

Self closing ability (5.4.2, 5.1.2)
Durability of self closing action (5.3.1)
Ability to maintain door in closed position, and not contribute to the spread of fire (5.2.1, 5.5)

Type 170.PZ

Passed, class 5 (9 N), 5 N
Passed, class M (200.000 cycles)
Passed, class 3, fire resistance 30 minutes with latch with falling bevel 6°, 120 minutes with latch without falling bevel

Mortise locks:

Self closing ability (5.4.2, 5.1.2)
Durability of self closing action (5.3.1)
Ability to maintain door in closed position, and not contribute to the spread of fire (5.2.1, 5.5)

Type 170.WC

Passed, class 5 (9 N), 5 N
Passed, class M (200.000 cycles)
Passed, class 3, fire resistance 30 minutes with latch with falling bevel 6°, 120 minutes with latch without falling bevel

Mortise locks:

Self closing ability (5.4.2, 5.1.2)
Durability of self closing action (5.3.1)
Ability to maintain door in closed position, and not contribute to the spread of fire (5.2.1, 5.5)

Type 170.FA

Passed, class 5 (9 N), 5 N
Passed, class M (200.000 cycles)
Passed, class 3, fire resistance 30 minutes with latch with falling bevel 6°, 120 minutes with latch without falling bevel

Mortise locks:

Self closing ability (5.4.2, 5.1.2)

Durability of self closing action (5.3.1)

Ability to maintain door in closed position, and not contribute to the spread of fire (5.2.1, 5.5)

Mortise locks:

Self closing ability (5.4.2, 5.1.2)

Durability of self closing action (5.3.1)

Ability to maintain door in closed position, and not contribute to the spread of fire (5.2.1, 5.5)

Type 127.FA

Passed, class 5 (8 N), 6,5 N

Passed, class M (200.000 cycles)

Passed, class 3, fire resistance 30 minutes

Type SONO.WZ

Passed, class 5 (14,7 N), 7,9 N

Passed, class M (200.000 cycles)

Passed, class 3, fire resistance 30 minutes